

FIG 2



3/20

COPY OF PAPERS ORIGINALLY FILED




FIG. 3

Docket No. C01104/70002 Applicant: George G. Mueller, et al. Serial No. 10/040,253 Filed: October 25, 2001 For: Methods and Apparatus for Illumination of Liquid 4/20 COPY OF PAPERS ORIGINALLY FILED 36D CONTROLLER BLOWER 53. 52 390 CONTROLLER FILTRATION SYSTEM CIRCULATION (NETWÖRK 53 CONNECTION 36B CONTROLLER HEATER DATA 50 34B INTERFACE REMOTE USER -36A CONTROLLER 64,68 26 53 WORLD WIDE WEB/ INTERNET 24A 42

The state of the s

Docket No. C01104/70002
Applicant: George G. Mueller, et al.
Serial No. 10/040,253
Filed: October 25, 2001
For: Methods and Apparatus for Illumination of Liqu COPY OF PAPERS ORIGINALLY FILED 5/20 36C 368 24A 36A 36D 24B. 24C 240 CONTROLLER C CONTROLLER D CONTROLLER 34B CONTROLLER ⋖ മ 34C 340 46B1 4602 4641 46C1 46D1 FIG. 4A 0 138  $\mathbf{z}$ 140A SELECT 46B2 0 CENTRAL CONTROLLER T/H ≥ 140B, 0 DATA  $\mathbf{\Sigma}$ 140C 0 Σ 140 48

では、現代は、これのはない。



COPY OF PAPERS ORIGINALLY FILED

6/20

CONTROLLER	MODE (M)	OPTION (0)
Α	DATA	LOGIC HIGH
В	DATA	LOGIC LOW
C.	LOGIC HIGH	DATA
D	LOGIC LOW	DATA

FIG. 4B

COPY OF PAPERS ORIGINALLY FILED




FIG. 5



Docket No. C01104/70002 Applicant: George G. Mueller, et al. Serial No. 10/040,253 Filed: October 25, 2001

Filed: October 25, 2001
For: Methods and Apparatus for Illumination of Liquids

COPY OF PAPERS 8/20 ORIGINALLY FILED




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10






FIG. 11



14/20 COPY OF PAPERS ORIGINALLY FILED

FIG. 12




FIG. 13





FIG. 14












FIG. 16A




FIG. 16B






FIG. 17






FIG. 18






FIG. 19




FIG 20